

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Deuxan 2C A**

Revision date: 12.12.2022

Product code: W\_252\_A

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

KÖSTER Deuxan 2C A

UFI: N07T-92Y3-PJ2M-A1UD

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

The product is intended for professional use. Building and construction work.

**Uses advised against**

No identified use(s).

**1.3. Details of the supplier of the safety data sheet**

Company name:	KÖSTER BAUCHEMIE AG	
Street:	Dieselstrasse 1 - 10	
Place:	D-26607 Aurich	
Telephone:	+49-4941-9709-0	Telefax: +49-4941-9709-40
e-mail:	info@koester.eu	
Contact person:	Forschung & Entwicklung	
e-mail:	produktsicherheit@koester.eu	
Internet:	www.koester.eu	

**1.4. Emergency telephone number:**

+49-551-19240 (24 h, Giftinformationszentrum Nord)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

**2.2. Label elements****GB CLP Regulation****Special labelling of certain mixtures**

EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**Additional advice on labelling**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**2.3. Other hazards**

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Bitumenemulsion in water

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Deuxan 2C A**

Revision date: 12.12.2022

Product code: W\_252\_A

Page 2 of 9

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
2634-33-5	1,2-benzisothiazol-3(2H)-one			< 0,05 %
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0,001 %
	-	613-167-00-5		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.1 %
	oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100		
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0,05 %
	oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100		
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0,001 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 50 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100		

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection! Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out.

**After inhalation**

Provide fresh air.

**After contact with skin**

Wash with plenty of water. Change contaminated clothing. In case of skin irritation, consult a physician.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In all cases of doubt, or when symptoms persist, seek medical advice.

**After ingestion**

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

## Safety Data Sheet

according to UK REACH Regulation

### KÖSTER Deuxan 2C A

Revision date: 12.12.2022

Product code: W\_252\_A

Page 3 of 9

#### **4.2. Most important symptoms and effects, both acute and delayed**

In case of skin contact: Frequently or prolonged contact with skin may cause dermal irritation.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Suitable extinguishing media: Foam, Carbon dioxide (CO<sub>2</sub>), Sand, Extinguishing powder.

##### **Unsuitable extinguishing media**

High power water jet.

#### **5.2. Special hazards arising from the substance or mixture**

The product itself does not burn.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Wear personal protection equipment. Provide adequate ventilation.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### **6.3. Methods and material for containment and cleaning up**

##### **Other information**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Keep container tightly closed. Ensure adequate ventilation of the storage area.

##### **Advice on protection against fire and explosion**

No special technical protective measures are necessary.

##### **Advice on general occupational hygiene**

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

##### **Further information on handling**

No special handling instructions are necessary.

#### **7.2. Conditions for safe storage, including any incompatibilities**

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Deuxan 2C A**

Revision date: 12.12.2022

Product code: W\_252\_A

Page 4 of 9

**Requirements for storage rooms and vessels**

Keep container tightly closed.

**Hints on joint storage**

Do not store together with: Food and fodder.

**Further information on storage conditions**

Keep away from heat. Protect from direct sunlight.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
8052-42-4	Asphalt, petroleum fumes	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL

**8.2. Exposure controls**

**Appropriate engineering controls**

No special technical protective measures are necessary.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Suitable material: NBR (Nitrile rubber). Thickness of the glove material: > 0,14 mm. penetration time (maximum wearing period): 480 min.

**Skin protection**

Only wear fitting, comfortable and clean protective clothing.

**Respiratory protection**

In fine dispersion/spraying/misting: half-mask with filter (DIN EN 149).

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	black
Odour:	characteristic
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling range:	100 °C
pH-Value:	10
Water solubility:	miscible.
Density:	1 g/cm <sup>3</sup>

**9.2. Other information**

**Other safety characteristics**

Viscosity / dynamic: 800 mPa·s

**Further Information**

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Deuxan 2C A**

Revision date: 12.12.2022

Product code: W\_252\_A

Page 5 of 9

not applicable

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

No risks worthy of mention.

**10.5. Incompatible materials**

No risks worthy of mention.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in GB CLP Regulation**

**Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	ATE 500 mg/kg			
2634-33-5	1,2-benzisothiazol-3(2H)-one				
	oral	ATE 500 mg/kg			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	oral	ATE 100 mg/kg			
	dermal	ATE 50 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Deuxan 2C A**

Revision date: 12.12.2022

Product code: W\_252\_A

Page 6 of 9

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

n/a

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

**SECTION 12: Ecological information**

**12.1. Toxicity**

No information available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one					
	Acute fish toxicity	LC50 1,6 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute crustacea toxicity	EC50 3,27 mg/l	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC 0,21 mg/l	21 d	Oncorhynchus mykiss (Rainbow trout)		OECD 215
	Algae toxicity	NOEC 0,04 mg/l	3 d	Selenastrum capricornutum		OECD 201
	Crustacea toxicity	NOEC 1,2 mg/l	21 d	Daphnia magna (Big water flea)		OECD 211

**12.2. Persistence and degradability**

Product is not easily biodegradable.

**12.3. Bioaccumulative potential**

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment is unlikely.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0.7

**BCF**

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one	3,16	calculated.	

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.  
The components in this formulation do not meet the criteria for classification as PBT or vPvB.

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Deuxan 2C A**

Revision date: 12.12.2022

Product code: W\_252\_A

Page 7 of 9

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

There are no data available on the mixture itself.

**Further information**

Do not allow to enter into surface water or drains.

Classification according to Regulation (EC) No 1272/2008 [CLP]

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

170302 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); bituminous mixtures, coal tar and tarred products; bituminous mixtures other than those mentioned in 17 03 01

**Contaminated packaging**

Water (with cleaning agent). Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** not applicable

**14.2. UN proper shipping name:** not applicable

**14.3. Transport hazard class(es):** not applicable

**14.4. Packing group:** not applicable

**Other applicable information (land transport)**

No dangerous good in sense of these transport regulations.

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** not applicable

**14.2. UN proper shipping name:** not applicable

**Other applicable information (inland waterways transport)**

No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)**

**14.1. UN number or ID number:** not applicable

**14.2. UN proper shipping name:** not applicable

**Other applicable information (marine transport)**

No dangerous good in sense of these transport regulations.

**Air transport (ICAO-TI/IATA-DGR)**

**14.2. UN proper shipping name:** not applicable

**Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

Danger releasing substance: not applicable

**14.6. Special precautions for user**

No information available.

**14.7. Maritime transport in bulk according to IMO instruments**

No information available.

## Safety Data Sheet

according to UK REACH Regulation

### KÖSTER Deuxan 2C A

Revision date: 12.12.2022

Product code: W\_252\_A

Page 8 of 9

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### Additional information

00-4

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.



**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Deuxan 2C A**

Revision date: 12.12.2022

Product code: W\_252\_A

Page 9 of 9

H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*