

KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KÖSTER KB-Pox Adhesive B

UFI:

UP62-A6QX-3WG7-FE26

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

The product is intended for professional use.

Uses advised against

No identified use(s).

1.3. Details of the supplier of the safety data sheet

Company name:	KÖSTER BAUCHEMIE AG	
Street:	Dieselstrasse 1 - 10	
Place:	D-26607 Aurich	
Telephone:	+49-4941-9709-0	Telefax: +49-4941-9709-40
e-mail:	info@koester.eu	
Contact person:	Forschung & Entwicklung	
e-mail:	produktsicherheit@koester.eu	
Internet:	www.koester.eu	
1.4. Emergency telephone	+49-551-19240 (24 h, Giftinformations	szentrum Nord)
number:		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane

m-Xylenediamine

Quartz (respirable), SiO2 nal word: Danger

Signal word: Pictograms:



Hazard statements

H314 H317 Causes severe skin burns and eye damage. May cause an allergic skin reaction.



according to UK REACH Regulation

KÖSTER KB-Pox Adhesive B					
Revision date: 30.01.2024	Product code: J_120_B	Page 2 of 11			
H373	May cause damage to organs through prolonged or repeated exposure.				
H412	Harmful to aquatic life with long lasting effects.				
Precautionary statemer	nts				
P260	Do not breathe dust/fume/gas/mist/vapours/spray.				
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection	on.			
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wate or shower.	er			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P310	Immediately call a POISON CENTER/doctor.				
Additional advice on lal	belling				
Labelling according t	o Regulation (EC) No. 1272/2008 [CLP]				
2.3. Other hazards					

The mixture may be a skin sensitiser. It may also be a skin irritant and repeated contact may increase this effect.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

amines.

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
38294-64-3	Phenol, 4,4'-(1-methylethylidene)bi 5-amino-1,3,3-trimethylcyclohexane	s-, polymer with emethanamine and (chloromethyl)ox	irane	20 - < 40 %	
	500-101-4		02-1199651653-33		
	Skin Corr. 1, Skin Sens. 1A, Aquati	c Chronic 3; H314 H317 H412			
100-51-6	benzyl alcohol		20 - < 40 %		
	202-859-9	603-057-00-5			
	Acute Tox. 4, Acute Tox. 4; H332 H	1302			
1477-55-0	m-Xylenediamine			5 - < 10 %	
	216-032-5		01-2119480150-50		
	Acute Tox. 4, Acute Tox. 4, Acute T H312 H302 H314 H317 H412	Γοχ. 4, Skin Corr. 1B, Skin Sens. 1, Α	Aquatic Chronic 3; H332		
14808-60-7	Quartz (respirable), SiO2			2 - < 5 %	
	238-878-4				
	STOT RE 1; H372	-			

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 3 of 11

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
38294-64-3	500-101-4	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane	20 - < 40 %
	dermal: LD5	0 = 5000 mg/kg; oral: LD50 = 1000 mg/kg	
100-51-6	202-859-9 benzyl alcohol		20 - < 40 %
	inhalation: A 1230 mg/kg	TE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =	
1477-55-0	216-032-5	m-Xylenediamine	5 - < 10 %
		C50 = 5,6 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: mg/kg; oral: ATE = 500 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Medical treatment necessary.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Hazards identification: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Suitable extinguishing media: Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance itself, combustion products, resulting gases: Carbon dioxide. Carbon monoxide Nitrogen oxides (NOx). amines.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do



according to UK REACH Regulation

KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 4 of 11

not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Further information on handling

Do not mix with other chemicals.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

Do not store together with: acid.

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed. Protect against: Frost.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 5 of 11

Appropriate engineering controls

Work in well-ventilated zones or use proper respiratory protection.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Suitable material: NBR (Nitrile rubber). penetration time (maximum wearing period): 480 min. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

Environmental exposure controls

Avoid release to the environment. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Paste	
Colour:	black	
Odour:	stinging	
Boiling point or initial boiling point and	b	> 200 °C
boiling range:		
Flash point:		> 160 °C
Density (at 23 °C):		1,3 g/cm³
9.2. Other information		
Information with regard to physical	hazard classes	
Explosive properties		
not explosive.		
Oxidizing properties		
Not oxidising.		

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep cool. Protect from sunlight. Due to gaseous decomposition products, overpressure can occur in tightly sealed containers.



according to UK REACH Regulation

KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 6 of 11

10.5. Incompatible materials

Avoid: Oxidizing agent, Acids, Acrylate, Alcohols, aldehydes, halogenated hydrocarbons, Ketone. Nitrites. May be corrosive to metals.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Nitrogen oxides (NOx). amines.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 2802,1 mg/kg; ATE (dermal) 20826,8 mg/kg; ATE (inhalation vapour) 36,82 mg/l; ATE (inhalation dust/mist) 5,021 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
38294-64-3	Phenol, 4,4'-(1-methyleth (chloromethyl)oxirane	nylidene)bis	s-, polymer wi	th 5-amino-1,3,3-tri	methylcyclohexanemetha	anamine and
	oral	LD50 mg/kg	1000	Rat		estimated
	dermal	LD50 mg/kg	5000	Rabbit		estimated
100-51-6	6 benzyl alcohol					
	oral	LD50 mg/kg	1230	Rat	GESTIS	
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
1477-55-0	m-Xylenediamine					
	oral	ATE mg/kg	500			
	dermal	LD50 mg/kg	2000	Rabbit		
	inhalation (4 h) vapour	LC50	5,6 mg/l	Rat		
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

May cause an allergic skin reaction. (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane; m-Xylenediamine)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 7 of 11

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Quartz (respirable), SiO2)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

inhalation. ingestion.

Specific effects in experiment on an animal

No information available.

Additional information on tests

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
38294-64-3	Phenol, 4,4'-(1-methylethy (chloromethyl)oxirane	ylidene)bis-	, polymer with	n 5-amino	o-1,3,3-trimethylcyclohexa	anemethanamine an	d
	Acute fish toxicity	LL50 mg/l	70,7	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute algae toxicity	ErC50 mg/l	79,4	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EL50 mg/l	11,1		Daphnia magna (Big water flea)		OECD 202
1477-55-0	m-Xylenediamine						
	Acute fish toxicity	LC50	75 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50	12 mg/l		Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	15,2	48 h	Daphnia magna		

12.2. Persistence and degradability

No information available.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
38294-64-3	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane				
	OECD 301F 0 % 28				
	Not readily biodegradable (according to OECD criteria)				

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-51-6	benzyl alcohol	1,05



KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 8 of 11

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

080111

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

· · · · · · · · · · · · · · · · · · ·	
14.1. UN number or ID number:	UN2735
14.2. UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (Isophorondiamin)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
	No. of the second se
Classification code:	C7
Special Provisions:	274
Limited quantity:	5 L
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Other applicable information (land transp	port)
E1	
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN2735



according to UK REACH Regulation

Devicing data 20.04 0004	KÖSTER KB-Pox Adhesive B	
Revision date: 30.01.2024	Product code: J_120_B	Page 9 of 11
14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label:	AMINES, LIQUID, CORROSIVE, N.O.S. (Isophorondiamin) 8 III 8	
	8	
Classification code: Special Provisions: Limited quantity: Other applicable information (inland wa t	C7 274 5 L terways transport)	
E1		
Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Isophoronediamine) 8 III 8	
Special Provisions: Limited quantity: EmS: Other applicable information (marine tra E1	223, 274 5 L F-A, S-B ansport)	
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Isophoronediamine) 8 III 8	
Special Provisions: Limited quantity Passenger: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: Other applicable information (air transp E1 Passenger-LQ: Y841 14.5. Environmental hazards	A3 A803 1 L 852 5 L 856 60 L ort)	
ENVIRONMENTALLY HAZARDOUS:	Yes	

Danger releasing substance:

SECTION 12: Ecological information



KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 10 of 11

14.6. Special precautions for user

SECTION 6: Accidental release measures SECTION 7: Handling and storage SECTION 8: Exposure controls/personal protection

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental re-	aulations/leaislation s	specific for the substance or mixture
15.1. Salety, nearth and environmental reg	guiadons/legisladon s	specific for the substance of mixture

EU regulatory information

2004/42/EC (VOC):

46 %

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H372	Causes damage to organs (lung) through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.



KÖSTER KB-Pox Adhesive B

Revision date: 30.01.2024

Product code: J_120_B

Page 11 of 11

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)