

## Safety Data Sheet

according to UK REACH Regulation

### KÖSTER NB Elastic Grey B

Revision date: 20.03.2023

Product code: W\_233\_B

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

KÖSTER NB Elastic Grey B

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Uses advised against

No identified use(s).

##### 1.3. Details of the supplier of the safety data sheet

Company name:	KÖSTER BAUCHEMIE AG	
Street:	Dieselstrasse 1 - 10	
Place:	D-26607 Aurich	
Telephone:	+49-4941-9709-0	Telefax: +49-4941-9709-40
e-mail:	info@koester.eu	
Contact person:	Forschung & Entwicklung	
e-mail:	produktsicherheit@koester.eu	
Internet:	www.koester.eu	

##### 1.4. Emergency telephone number:

+49-551-19240 (24 h, Giftinformationszentrum Nord)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

##### 2.2. Label elements

###### GB CLP Regulation

###### Special labelling of certain mixtures

EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

###### Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### 2.3. Other hazards

No information available.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

###### Chemical characterization

Emulsions/Coating products

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER NB Elastic Grey B**

Revision date: 20.03.2023

Product code: W\_233\_B

Page 2 of 9

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7732-18-5	water			20 - < 40 %
	231-791-2			
9010-92-8	SODIUM STYRENE/ACRYLATES COPOLYMER			20 - < 40 %
	618-461-7			
471-34-1	Calcium carbonate			20 - < 40 %
	207-439-9			
2634-33-5	1,2-benzisothiazol-3(2H)-one			> 0,05 %
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			< 0.1 %
	611-341-5	613-167-00-5		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	> 0,05 %
	oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100		
55965-84-9	611-341-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	< 0.1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 50 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100		

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out.

**After inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

After contact with skin, wash immediately with plenty of water. Change contaminated clothing. In case of skin irritation, seek medical treatment.

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER NB Elastic Grey B**

Revision date: 20.03.2023

Product code: W\_233\_B

Page 3 of 9

**After contact with eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician in any case!

**4.2. Most important symptoms and effects, both acute and delayed**

May cause an allergic skin reaction.

**4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Suitable extinguishing media: Foam, Carbon dioxide (CO<sub>2</sub>), Sand, Extinguishing powder.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

The product itself does not burn. Do not inhale explosion and combustion gases.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Do not allow run-off from fire-fighting to enter drains or water courses.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Special danger of slipping by leaking/spilling product. Wear personal protection equipment (refer to section 8).

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up****Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

No special precautionary measures are necessary. Provide adequate ventilation as well as local exhaustion at critical locations.

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER NB Elastic Grey B**

Revision date: 20.03.2023

Product code: W\_233\_B

Page 4 of 9

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

**Further information on handling**

Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool place.

Protect against: Frost

**Hints on joint storage**

Do not store together with: Food and fodder.

**Further information on storage conditions**

No special technical protective measures are necessary.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL

**PNEC values**

CAS No	Substance	Value
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
	Micro-organisms in sewage treatment plants (STP)	7,92 mg/l

**8.2. Exposure controls**

**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Suitable material: NBR (Nitrile rubber). Butyl rubber. Protect skin by using skin protective cream.

**Skin protection**

Wear suitable protective clothing. Only wear fitting, comfortable and clean protective clothing.

**Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment. half-mask with filter (DIN EN 149).

**Environmental exposure controls**

Avoid release to the environment. Do not empty into drains.

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER NB Elastic Grey B**

Revision date: 20.03.2023

Product code: W\_233\_B

Page 5 of 9

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: liquid  
Colour: whitish  
Odour: characteristic

**Test method**

Melting point/freezing point: 0 °C  
Boiling point or initial boiling point and boiling range: 100 °C  
Flash point: not applicable  
Auto-ignition temperature: not applicable  
pH-Value: 10  
Water solubility: miscible.  
Density (at 20 °C): 1 g/cm<sup>3</sup>

**9.2. Other information**

**Information with regard to physical hazard classes**

Sustaining combustion: Not sustaining combustion

**Other safety characteristics**

Sublimation point: not applicable  
Viscosity / dynamic: 200 mPa·s ISO 2555

**Further Information**

No information available.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No known hazardous reactions.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in GB CLP Regulation**

**Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER NB Elastic Grey B**

Revision date: 20.03.2023

Product code: W\_233\_B

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one				
	oral	ATE 500 mg/kg			
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				
	oral	ATE 100 mg/kg			
	dermal	ATE 50 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out.

**Sensitising effects**

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

Ingestion

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

**11.2. Information on other hazards**

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**SECTION 12: Ecological information**

**12.1. Toxicity**

There are no data available on the mixture itself.

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER NB Elastic Grey B**

Revision date: 20.03.2023

Product code: W\_233\_B

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one					
	Acute fish toxicity	LC50 1,6 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute crustacea toxicity	EC50 mg/l 3,27	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC mg/l 0,21	21 d	Oncorhynchus mykiss (Rainbow trout)		OECD 215
	Algae toxicity	NOEC mg/l 0,04	3 d	Selenastrum capricornutum		OECD 201
	Crustacea toxicity	NOEC 1,2 mg/l	21 d	Daphnia magna (Big water flea)		OECD 211
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					
	Acute fish toxicity	LC50 mg/l 0,22	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute crustacea toxicity	EC50 0,1 mg/l	48 h	Daphnia magna (Big water flea)		OECD 201

**12.2. Persistence and degradability**

Product is not easily biodegradable.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			
	OECD 307	> 60 %		
	Readily biodegradable (according to OECD criteria).			

**12.3. Bioaccumulative potential**

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment is unlikely.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	< 0,71

**BCF**

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one	3,16	calculated.	

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

**12.6. Endocrine disrupting properties**

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER NB Elastic Grey B**

Revision date: 20.03.2023

Product code: W\_233\_B

Page 8 of 9

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

**List of Wastes Code - used product**

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

**Contaminated packaging**

Water (with cleaning agent). Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** not applicable

**Other applicable information (land transport)**

No dangerous good in sense of these transport regulations.

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** not applicable

**Other applicable information (inland waterways transport)**

No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)**

**14.1. UN number or ID number:** not applicable

**Other applicable information (marine transport)**

No dangerous good in sense of these transport regulations.

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** not applicable

**Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

**14.7. Maritime transport in bulk according to IMO instruments**

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER NB Elastic Grey B**

Revision date: 20.03.2023

Product code: W\_233\_B

Page 9 of 9

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**Additional information**

00-4

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,11.

**Relevant H and EUH statements (number and full text)**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*