

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Repair Mortar NC**

Revision date: 13.05.2022

Product code: C\_535

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

KÖSTER Repair Mortar NC

UFI: 0YAG-PV9A-7X2U-HU8W

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

The product is intended for professional use. Building and construction work.

**Uses advised against**

No identified use(s).

**1.3. Details of the supplier of the safety data sheet**

Company name:	KÖSTER BAUCHEMIE AG	
Street:	Dieselstrasse 1 - 10	
Place:	D-26607 Aurich	
Telephone:	+49-4941-9709-0	Telefax: +49-4941-9709-40
e-mail:	info@koester.eu	
Contact person:	Forschung & Entwicklung	
e-mail:	produktsicherheit@koester.eu	
Internet:	www.koester.eu	

**1.4. Emergency telephone number:**

+49-551-19240 (24 h, Giftinformationszentrum Nord)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Skin Irrit. 2; H315  
Eye Dam. 1; H318  
Skin Sens. 1; H317  
STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****GB CLP Regulation****Hazard components for labelling**

Portland cement clinker  
Calcium Sulfoaluminat Clinker

Signal word: Danger

**Pictograms:****Hazard statements**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Repair Mortar NC**

Revision date: 13.05.2022

Product code: C\_535

Page 2 of 8

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see SECTION 4: First aid measures on this label).

**Additional advice on labelling**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**2.3. Other hazards**

The product develops an alkaline pH value with moisture and can cause irritation. Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

**Hazardous components**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (GB CLP Regulation)	
65997-15-1	Portland cement clinker	20 - < 40 %
	266-043-4	
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335	
	Calcium Sulfoaluminate Clinker	5 - < 10 %
	934-133-9	
	Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, STOT SE 3; H315 H318 H317 H335	

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection! Avoid contact with skin, eyes and clothes.

**After inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Medical treatment necessary.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician in any case!

## Safety Data Sheet

according to UK REACH Regulation

### KÖSTER Repair Mortar NC

Revision date: 13.05.2022

Product code: C\_535

Page 3 of 8

#### **4.2. Most important symptoms and effects, both acute and delayed**

Following eye contact: Risk of serious damage to eyes.

After skin contact: The product develops an alkaline pH value with moisture and can cause irritation. Contains chromium (VI). May produce an allergic reaction.

Following inhalation: Inhalation of dust may cause irritation of the respiratory system.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Suitable extinguishing media: Foam, Carbon dioxide (CO<sub>2</sub>), Sand, Extinguishing powder.

##### **Unsuitable extinguishing media**

High power water jet.

#### **5.2. Special hazards arising from the substance or mixture**

The product itself does not burn.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **Other information**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

##### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work,

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Repair Mortar NC**

Revision date: 13.05.2022

Product code: C\_535

Page 4 of 8

wash hands and face. When using do not eat or drink.

**Further information on handling**

When diluting/dissolving, always have the water ready first, then slowly stir in the product.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

**Hints on joint storage**

No special precautionary measures are necessary.

**Further information on storage conditions**

No special technical protective measures are necessary.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
			2		STEL (15 min)	WEL
65997-15-1	Portland cement, respirable dust	-	4		TWA (8 h)	WEL

**8.2. Exposure controls**

**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

In the case of the formation of dust. Tightly sealed safety glasses.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

**Skin protection**

Only wear fitting, comfortable and clean protective clothing.

**Respiratory protection**

Respiratory protection necessary at: insufficient ventilation. half-mask with filter (DIN EN 149).

**Environmental exposure controls**

Avoid release to the environment. Do not empty into drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	grey
Odour:	odourless
Melting point/freezing point:	1250 °C
Flammability:	Non-flammable.
Water solubility:	practically insoluble

## Safety Data Sheet

according to UK REACH Regulation

### KÖSTER Repair Mortar NC

Revision date: 13.05.2022

Product code: C\_535

Page 5 of 8

Bulk density:

1,4 kg/m<sup>3</sup>

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Explosive properties

not explosive.

Sustaining combustion:

Not sustaining combustion

##### **Other safety characteristics**

Solid content:

100

### **SECTION 10: Stability and reactivity**

#### **10.1. Reactivity**

Moisture-sensitive.

#### **10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

#### **10.3. Possibility of hazardous reactions**

No special precautionary measures are necessary.

#### **10.4. Conditions to avoid**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

#### **10.5. Incompatible materials**

Aluminium. Acid.

#### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **Toxicokinetics, metabolism and distribution**

No information available.

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

##### **Irritation and corrosivity**

Causes skin irritation.

Causes serious eye damage.

Irritating to eyes. Risk of serious damage to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: irritant.

##### **Sensitising effects**

May cause an allergic skin reaction. (Calcium Sulfoaluminate Clinker)

May cause sensitization by skin contact.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

No indications of human reproductive toxicity exist.

##### **STOT-single exposure**

May cause respiratory irritation. (Portland cement clinker)

##### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

##### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to UK REACH Regulation

### KÖSTER Repair Mortar NC

Revision date: 13.05.2022

Product code: C\_535

Page 6 of 8

#### Information on likely routes of exposure

Inhalation

#### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

## SECTION 12: Ecological information

### 12.1. Toxicity

Inorganic product which is not eliminable from water through biological cleaning processes. Product is not easily biodegradable.

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances. According to experiences this product is inert and not degradable.

### 12.3. Bioaccumulative potential

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment is unlikely.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

101311 WASTES FROM THERMAL PROCESSES; wastes from manufacture of cement, lime and plaster and articles and products made from them; wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10

#### List of Wastes Code - used product

170107 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); concrete, bricks, tiles and ceramics; mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06

#### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

## SECTION 14: Transport information

### Land transport (ADR/RID)

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Repair Mortar NC**

Revision date: 13.05.2022

Product code: C\_535

Page 7 of 8

**14.1. UN number or ID number:** not applicable  
**Other applicable information (land transport)**  
 No dangerous good in sense of these transport regulations.

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** not applicable  
**Other applicable information (inland waterways transport)**  
 No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)**

**14.1. UN number or ID number:** not applicable  
**Other applicable information (marine transport)**  
 No dangerous good in sense of these transport regulations.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

SECTION 6: Accidental release measures  
 SECTION 7: Handling and storage  
 SECTION 8: Exposure controls/personal protection

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):  
 Entry 75

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 15.

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method

**Relevant H and EUH statements (number and full text)**

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

**Safety Data Sheet**

according to UK REACH Regulation

**KÖSTER Repair Mortar NC**

Revision date: 13.05.2022

Product code: C\_535

Page 8 of 8

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*