

according to UK REACH Regulation

## KÖSTER Turbo Bindemittel

Revision date: 01.12.2020 Product code: C\_716 Page 1 of 6

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

KÖSTER Turbo Bindemittel

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

The product is intended for professional use. Building and construction work.

## 1.3. Details of the supplier of the safety data sheet

Company name: KÖSTER BAUCHEMIE AG
Street: Dieselstrasse 1 - 10
Place: D-26607 Aurich

Telephone: +49-4941-9709-0 Telefax: +49-4941-9709-40

e-mail: info@koester.eu

Contact person: Forschung & Entwicklung e-mail: produktsicherheit@koester.eu

Internet: www.koester.eu

**1.4. Emergency telephone** +49-551-19240 (24 h, Giftinformationszentrum Nord)

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# **GB CLP Regulation**

Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

# **GB CLP Regulation**

### Hazard components for labelling

Portland cement clinker

Signal word: Danger

Pictograms:





# **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.



according to UK REACH Regulation

### KÖSTER Turbo Bindemittel

Revision date: 01.12.2020 Product code: C\_716 Page 2 of 6

P405 Store locked up.

P501 Dispose of contents/container to disposal according to local regulations.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Chemical characterization**

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

## **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
65997-15-1	Portland cement clinker			< 50 %
	266-043-4			
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335			

Full text of H and EUH statements; see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Medical treatment necessary.

## After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



according to UK REACH Regulation

### KÖSTER Turbo Bindemittel

Revision date: 01.12.2020 Product code: C\_716 Page 3 of 6

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### Further information on handling

Do not breathe dust.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

## Hints on joint storage

No special precautionary measures are necessary.

### Further information on storage conditions

No special technical protective measures are necessary.

### 7.3. Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
65997-15-1	Portland cement, respirable dust	-	4		TWA (8 h)	WEL

## 8.2. Exposure controls

## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

# Individual protection measures, such as personal protective equipment





according to UK REACH Regulation

### KÖSTER Turbo Bindemittel

Revision date: 01.12.2020 Product code: C\_716 Page 4 of 6

## Eye/face protection

In the case of the formation of dust. Tightly sealed safety glasses.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

### Skin protection

Only wear fitting, comfortable and clean protective clothing.

## **Respiratory protection**

Respiratory protection necessary at: insufficient ventilation. half-mask with filter (DIN EN 149).

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: grey
Odour: odourless

Melting point/freezing point:1250 °CFlammability:Non-flammable.Water solubility:practically insolubleDensity:3 g/cm³Bulk density:1,2 kg/m³

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties not explosive.
Oxidizing properties
Not oxidising.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No special precautionary measures are necessary.

## 10.2. Chemical stability

No special precautionary measures are necessary.

### 10.3. Possibility of hazardous reactions

No special precautionary measures are necessary.

# 10.4. Conditions to avoid

No special precautionary measures are necessary.

## 10.5. Incompatible materials

Aluminium. Acid.

### 10.6. Hazardous decomposition products

No special precautionary measures are necessary.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

### Toxicocinetics, metabolism and distribution

No information available.

## Acute toxicity

No information available.





according to UK REACH Regulation

### KÖSTER Turbo Bindemittel

Revision date: 01.12.2020 Product code: C\_716 Page 5 of 6

### Irritation and corrosivity

Irritating to eyes. Risk of serious damage to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: irritant.

#### Sensitising effects

May cause sensitization by skin contact.

### Carcinogenic/mutagenic/toxic effects for reproduction

No indications of human reproductive toxicity exist.

### STOT-repeated exposure

No information available.

### Information on likely routes of exposure

Inhalation

#### Specific effects in experiment on an animal

No information available.

### **SECTION 12: Ecological information**

# **12.1. Toxicity**

Inorganic product which is not eliminable from water through biological cleaning processes. Product is not easily biodegradable.

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances. According to experiences this product is inert and not degradable.

## 12.3. Bioaccumulative potential

Does not accumulate in organisms.

# 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Dispose of waste according to applicable legislation.

## List of Wastes Code - used product

170107 CONSTRUCTION A

CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); concrete, bricks, tiles and ceramics; mixtures of concrete, bricks, tiles and

ceramics other than those mentioned in 17 01 06

## Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



according to UK REACH Regulation

## KÖSTER Turbo Bindemittel

Revision date: 01.12.2020 Product code: C\_716 Page 6 of 6

# **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

### Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)